

ARTICLE

On n -dimensional Real Spaces and n -dimensional Complex Spaces I

中村 八束^{1,*}Yatsuka Nakamura^{1,*}

1 信州大学名誉教授. 長野県長野市青木島

1 Shinshu University, Professor Emeritus. Aokijima, Nagano, Japan

* jaceks19731005@gmail.com

ID: MOMENTM1

Proof checked by Mizar Version: 8.1.08 and MML Version: 5.53.1335

Received: November 27, 2020. Accepted: April 30, 2021.

Abstract

A stationary object and a moving object are different entities. Light, heat, electromagnetic waves, and the moving stars of the universe have similar characteristics. In conventional physics, the state of an object is described by a combination of the coordinates q of position and the coordinates p of momentum. In fact, this description method is suitable for describing the state of many other physical quantities. We develop a basic theory that expresses the duality of such existence.

静止している物体と、運動している物体とは異なる存在である。光も熱も電磁波も宇宙の運動する宇宙の星々も同様な特徴を持つ。従来の物理学では、位置の座標 q と運動量の座標 p の座標の組み合わせで物体の状態を記述した。実はこの記述法は、他の多くの物理量の状態記述に適しているのである。そのような存在の二面性を表現する基礎理論を展開する。

Mizar article information

Works in Progress

MOMENTM1 On n-dimensional Real Spaces and n-dimensional Complex Spaces I
by Yatsuka Nakamura

Listing 1. MOMENTM1 - abstract (momentm1.abs)

```

::
:: On n-dimensional Real Spaces and n-dimensional Complex Spaces I
:: 19. Nov. 2020
:: Yatsuka Nakamura

environ

vocabularies TARSKI, NUMBERS, NAT_1, FINSEQ_2, FINSEQ_1, SUBSET_1, SQUARE_1,
  VALUED_0, CARD_1, XXREAL_0, XCMLPX_0, FUNCT_1, FUNCT_2, FUNCT_7,
  XBOOLE_0, RVSUM_1, COMPLEX1, RELAT_1, REAL_1, ARYTM_1, MOMENTM1;
notations TARSKI, XBOOLE_0, VALUED_0, FUNCT_1, FUNCT_2, ORDINAL1, CARD_1,
  NUMBERS, XCMLPX_0, XREAL_0, COMPLEX1, FINSEQ_1, FINSEQ_2, DOMAIN_1,
  RELAT_1, XXREAL_0, SUBSET_1, EUCLID;
constructors COMPLEX1, FINSEQOP, TOPMETR, EUCLID;
registrations RELSET_1, NUMBERS, XREAL_0, FINSEQ_2, RVSUM_1, ORDINAL1,
  COMPLEX1, XCMLPX_0;
requirements NUMERALS, SUBSET, BOOLE;
definitions TARSKI;
equalities EUCLID, FINSEQ_1, FINSEQ_2;
expansions TARSKI, XBOOLE_0;
theorems FINSEQ_1, FINSEQ_2, FUNCT_1, FUNCT_2, TARSKI, COMPLEX1, FUNCOP_1,
  ORDINAL1, NUMBERS, XBOOLE_1;

begin

reserve a,b,c,d for Real;
reserve x,y,x3,y3,X,z,Y,Z,V for set;

theorem :: MOMENTM1:1
  (REAL) c= COMPLEX;

theorem :: MOMENTM1:2 ::CCD20:
  <i> in COMPLEX;

theorem :: MOMENTM1:3 ::CCD21:
  <i>*<i> = -1r;

theorem :: MOMENTM1:4
  not <i> in REAL;

theorem :: MOMENTM1:5 ::CCC21:
  (REAL) c< COMPLEX;

theorem :: MOMENTM1:6
  REAL* is FinSequenceSet of REAL;

theorem :: MOMENTM1:7
  COMPLEX* is FinSequenceSet of COMPLEX;

theorem :: MOMENTM1:8
  REAL* is FinSequenceSet of COMPLEX;

theorem :: MOMENTM1:9
  REAL* c= COMPLEX*;

definition
  let n be Nat;
  func COMPLEX n  $\rightarrow$  FinSequenceSet of COMPLEX equals

```

```

:: MOMENTM1:def 1
  n-tuples_on COMPLEX;
end;

registration
  let n be Nat;
  cluster COMPLEX n -> non empty;
end;

registration
  let n be Nat;
  cluster -> n-element for Element of COMPLEX n;
end;

theorem :: MOMENTM1:10
  for n being Nat holds
  REAL n = n-tuples_on REAL;

theorem :: MOMENTM1:11
  for n being Nat holds
  COMPLEX n = n-tuples_on COMPLEX;

registration
  let n be Nat;
  cluster -> n-element for Element of (COMPLEX n);
end;

theorem :: MOMENTM1:12
  for n being Nat holds
  REAL n = n-tuples_on REAL;

theorem :: MOMENTM1:13
  for n being Nat holds
  COMPLEX n = n-tuples_on COMPLEX;

theorem :: MOMENTM1:14
  for n being Nat holds
  REAL n is FinSequenceSet of REAL;

theorem :: MOMENTM1:15
  for n being Nat holds
  COMPLEX n is FinSequenceSet of COMPLEX;

registration
  let n be Nat;
  cluster COMPLEX n -> non empty;
end;

registration
  let n be Nat;
  cluster -> n-element for Element of COMPLEX n;
end;

theorem :: MOMENTM1:16 ::CCC2:
  for n being Nat holds
  COMPLEX n = n-tuples_on COMPLEX;

reserve z for Complex;

reserve x,x3,y,z,P,Q,X,Y,Z for set;

theorem :: MOMENTM1:17
  for n being Nat holds
  n-tuples_on REAL = Funcs(Seg n,REAL);

theorem :: MOMENTM1:18
  for n being Nat holds
  n-tuples_on COMPLEX = Funcs(Seg n,COMPLEX);

theorem :: MOMENTM1:19

```

for x being object, **n being** Nat **holds**
 x in Funcs(Seg n, REAL) **iff** **ex f being** Function **st** x = f &
 dom f = Seg n & rng f c= REAL;

theorem :: *MOMENTM1:20*

for x being object, **n being** Nat **holds**
 x in Funcs(Seg n, COMPLEX) **iff** **ex f being** Function **st** x = f &
 dom f = Seg n & rng f c= COMPLEX;

theorem :: *MOMENTM1:21*

for n being Nat **holds**
 n-tuples_on COMPLEX = Funcs(Seg n, COMPLEX);

theorem :: *MOMENTM1:22*

for n being Nat **holds**
 Funcs(Seg n, REAL) c= Funcs(Seg n, COMPLEX);

theorem :: *MOMENTM1:23*

for n being Nat **holds** (n-tuples_on REAL)
 c= (n-tuples_on COMPLEX);

theorem :: *MOMENTM1:24*

for n being Nat **holds** (REAL n) c= (COMPLEX n);

reserve f for real-valued FinSequence;

definition

let n **be** Nat;
func I*n -> FinSequence **equals**
 :: *MOMENTM1: def 2*
 n |-> In(1, REAL);
end;

definition

let n **be** Nat;
func i*n -> complex-valued FinSequence **equals**
 :: *MOMENTM1: def 3*
 n |-> In(<i>, COMPLEX);
end;

theorem :: *MOMENTM1:25* :: *CCC525*:

for n being Nat **holds**
 i*n is Element of COMPLEX n;

theorem :: *MOMENTM1:26* :: *CCC526*:

for n being Nat **st** 1 <= n
holds i*n in COMPLEX n;

registration

let n **be** Nat;
cluster -> n-element **for** Element of COMPLEX n;
end;

theorem :: *MOMENTM1:27*

for n being Nat **st** 1 <= n
holds rng (i*n) = {<i>} &
ex f2 **being** Function **st**
 dom f2 = Seg n & rng f2 c= COMPLEX;

theorem :: *MOMENTM1:28*

for n being Nat
holds Funcs(Seg n, REAL) c= Funcs(Seg n, COMPLEX);

theorem :: *MOMENTM1:29*

for n being Nat **st** 1 <= n
holds i* n in Funcs(Seg n, COMPLEX)
 & **not** i* n in Funcs(Seg n, REAL);

theorem :: *MOMENTM1:30*

```

for n being Nat st 1 <= n
holds Funcs(Seg n,REAL)c< Funcs(Seg n,COMPLEX);

theorem :: MOMENTM1:31
for n being Nat st n>=1
holds (n-tuples_on REAL) c< (n-tuples_on COMPLEX);

theorem :: MOMENTM1:32
for n being Nat st n>=1
holds (REAL n) c< (COMPLEX n);

```

Listing 2. MOMENTM1 - vocabulary (momentm1.voc)

```

OI*
Oi*

```

Listing 3. MOMENTM1 - article (momentm1.miz)

```

::
:: On n-dimensional Real Spaces and n-dimensional Complex Spaces I
:: 19. Nov. 2020
:: Yatsuka Nakamura

environ

vocabularies TARSKI, NUMBERS, NAT_1, FINSEQ_2, FINSEQ_1, SUBSET_1, SQUARE_1,
  VALUED_0, CARD_1, XXREAL_0, XCMLPX_0, FUNCT_1, FUNCT_2, FUNCT_7,
  XBOOLE_0, RVSUM_1, COMPLEX1, RELAT_1, REAL_1, ARYTM_1, MOMENTM1;
notations TARSKI, XBOOLE_0, VALUED_0, FUNCT_1, FUNCT_2, ORDINAL1, CARD_1,
  NUMBERS, XCMLPX_0, XREAL_0, COMPLEX1, FINSEQ_1, FINSEQ_2, DOMAIN_1,
  RELAT_1, XXREAL_0, SUBSET_1, EUCLID;
constructors COMPLEX1, FINSEQOP, TOPMETR, EUCLID;
registrations RELSET_1, NUMBERS, XREAL_0, FINSEQ_2, RVSUM_1, ORDINAL1,
  COMPLEX1, XCMLPX_0;
requirements NUMERALS, SUBSET, BOOLE;
definitions TARSKI;
equalities EUCLID, FINSEQ_1, FINSEQ_2;
expansions TARSKI, XBOOLE_0;
theorems FINSEQ_1, FINSEQ_2, FUNCT_1, FUNCT_2, TARSKI, COMPLEX1, FUNCOP_1,
  ORDINAL1, NUMBERS, XBOOLE_1;

begin

reserve a,b,c,d for Real;
reserve x,y,x3,y3,X,z,Y,Z,V for set;

theorem Th1:
  (REAL) c= COMPLEX by NUMBERS:11;

theorem ::CCD20:
  <i> in COMPLEX;

theorem ::CCD21:
  <i>*<i> = -1r by COMPLEX1:18;

theorem Th4:
  not <i> in REAL by COMPLEX1:7;

theorem ::CCC21:
  (REAL) c< COMPLEX by Th4,Th1;

theorem
  REAL* is FinSequenceSet of REAL;

```

```

theorem
  COMPLEX* is FinSequenceSet of COMPLEX;

theorem Th8: REAL* is FinSequenceSet of COMPLEX
  by FINSEQ_2:91,Th1;

theorem
  REAL* c= COMPLEX* by FINSEQ_2:90,Th8;

definition
  let n be Nat;
  func COMPLEX n -> FinSequenceSet of COMPLEX equals
    n-tuples_on COMPLEX;
  coherence;
end;

registration
  let n be Nat;
  cluster COMPLEX n -> non empty;
  coherence;
end;

registration
  let n be Nat;
  cluster -> n-element for Element of COMPLEX n;
  coherence;
end;

theorem
  for n being Nat holds
    REAL n = n-tuples_on REAL;

theorem
  for n being Nat holds
    COMPLEX n = n-tuples_on COMPLEX;

registration
  let n be Nat;
  cluster -> n-element for Element of (COMPLEX n);
  coherence;
end;

theorem
  for n being Nat holds
    REAL n = n-tuples_on REAL;

theorem
  for n being Nat holds
    COMPLEX n = n-tuples_on COMPLEX;

theorem
  for n being Nat holds
    REAL n is FinSequenceSet of REAL;

theorem
  for n being Nat holds
    COMPLEX n is FinSequenceSet of COMPLEX;

registration
  let n be Nat;
  cluster COMPLEX n -> non empty;
  coherence;
end;

registration
  let n be Nat;
  cluster -> n-element for Element of COMPLEX n;
  coherence;
end;

```

```

theorem ::CCC22:
  for n being Nat holds
    COMPLEX n = n-tuples_on COMPLEX;

reserve z for Complex;

reserve x,x3,y,z,P,Q,X,Y,Z for set;

theorem Th17:
  for n being Nat holds
    n-tuples_on REAL = Funcs(Seg n,REAL) by FINSEQ.2:93;

theorem Th18:
  for n being Nat holds
    n-tuples_on COMPLEX = Funcs(Seg n,COMPLEX) by FINSEQ.2:93;

theorem Th19:
  for x being object,n being Nat holds
  x in Funcs(Seg n,REAL) iff ex f being Function st x = f &
  dom f = Seg n & rng f c= REAL by FUNCT.2:def 2;

theorem Th20:
  for x being object,n being Nat holds
  x in Funcs(Seg n,COMPLEX) iff ex f being Function st x = f &
  dom f = Seg n & rng f c= COMPLEX by FUNCT.2:def 2;

theorem Th21:
  for n being Nat holds
    n-tuples_on COMPLEX = Funcs(Seg n,COMPLEX) by FINSEQ.2:93;

theorem Th22:for n being Nat holds
  Funcs(Seg n,REAL)c= Funcs(Seg n,COMPLEX)
proof
  let n be Nat;
  thus Funcs(Seg n,REAL)c= Funcs(Seg n,COMPLEX)
  proof
    let x3 be object;
    assume x3 in Funcs(Seg n,REAL);then
    consider f be Function such that
    A1: x3 = f &
    dom f = Seg n & rng f c= REAL by Th19;
    thus x3 in Funcs(Seg n,COMPLEX) by Th1,Th20,XBOOLE.1:1,A1; ::CCC20,
  end;
end;

theorem Th23:
  for n being Nat holds (n-tuples_on REAL)
  c= (n-tuples_on COMPLEX)
  proof
    let n be Nat;
    now let x3 being object;
    assume A1: x3 in (n-tuples_on REAL);
    A2: Funcs(Seg n,REAL) c= Funcs(Seg n,COMPLEX) by Th22;
    x3 in Funcs(Seg n,REAL)by Th17,A1;then
    x3 in Funcs(Seg n,COMPLEX)by A2;
    hence x3 in (n-tuples_on COMPLEX)by Th21;
  end;
  hence thesis;
end;

theorem
  for n being Nat holds (REAL n) c= (COMPLEX n) by Th23;

reserve f for real-valued FinSequence;

definition
  let n be Nat;
  func I*n -> FinSequence equals
  n |-> In(1,REAL);

```

```

correctness;
end;

definition
  let n be Nat;
  func i*n -> complex-valued FinSequence equals
  n |-> In(<i>,COMPLEX);
  correctness;
end;

theorem ::CCC525:
  for n being Nat holds
  i*n is Element of COMPLEX n;

theorem ::CCC526:
  for n being Nat st 1 <= n
  holds i*n in COMPLEX n;

registration
  let n be Nat;
  cluster -> n-element for Element of COMPLEX n;
  correctness;
end;

theorem Th27:
  for n being Nat st 1 <= n
  holds rng (i*n) = {<i>} &
  ex f2 being Function st
  dom f2 = Seg n & rng f2 c= COMPLEX
  proof
    let n be Nat;
    assume A1: 1 <= n;
    A2: 1 in Seg n by A1;

    A3: n is Element of NAT by ORDINAL1:def 12;
    for A being set, p being FinSequence of
    A holds p in n -tuples_on A iff len p = n by FINSEQ.2:133,A3;then
    A4: for p being FinSequence of COMPLEX holds
    ( p in n -tuples_on COMPLEX iff len p = n );

    A5: i* n in n -tuples_on COMPLEX iff len (i* n) = n by A4;
    A6: len (i* n) = n by A5;
    A7: Seg len (i* n) = dom (i* n) by FINSEQ.1:def 3;
    A8: len (i* n) = n by A6;then
    A9: dom (i*n) = Seg n by A7;
    1 in { k where k is Nat : ( 1 <= k & k <= n ) } by A2;then
    A10: 1 in Seg n;then
    A11: 1 in dom (i*n) by A9;
    A12: (n |-> In(<i>,COMPLEX)).1 = In(<i>,COMPLEX)by A10,FUNCOP.1:7;

    reconsider p = (n |-> In(<i>,COMPLEX)) as FinSequence;
    A13: Seg len p = dom p by FINSEQ.1:def 3;
    p.1 = In(<i>,COMPLEX) by A12; then
    A14: (n |-> <i>).1
    = In(<i>,COMPLEX)
    . = <i> ;
    A15: (n |-> In(<i>,COMPLEX)).1 = <i> by A14;
    rng (n |-> In(<i>,COMPLEX)) = {<i>}
  proof
    A16: rng(n |-> In(<i>,COMPLEX)) c= {<i>}
    proof let y3 be object;
    assume y3 in rng(n |-> In(<i>,COMPLEX));then
    consider x3 being object such that
    A17: x3 in dom (n |-> In(<i>,COMPLEX))
    & (n |-> In(<i>,COMPLEX)).x3 = y3 by FUNCT.1:def 3;
    x3 in dom (n |-> In(<i>,COMPLEX)) by A17;then
    x3 in Seg n by A13,A8;then
    x3 in Seg n ;then
    A18: (n |-> In(<i>,COMPLEX)).x3 = In(<i>,COMPLEX)by FUNCOP.1:7;

```



```

(n |-> <i>).x3
= In(<i>,COMPLEX) by A18
.= <i> ;
then
A19: (n |-> In(<i>,COMPLEX)).x3= <i>;
A20: x3 in dom (n |-> In(<i>,COMPLEX))
& (n |-> In(<i>,COMPLEX)).x3= y3 by A17;
y3= <i> by A20,A19;
hence y3 in {<i>} by TARSKI:def 1;
end;

{<i>} c= rng(n |-> In(<i>,COMPLEX))
proof let y3 be object;
assume y3 in {<i>};then
A21: y3= <i> by TARSKI:def 1;
A22: 1 in dom (n |-> In(<i>,COMPLEX)) by A11;
1 in dom (n |-> In(<i>,COMPLEX))
& (n |-> In(<i>,COMPLEX)).1= y3 by A21,A22,A15;
hence y3 in rng(n |-> In(<i>,COMPLEX)) by FUNCT.1:def 3;
end;
hence thesis by A16;
end;
hence rng (i*n) = {<i>} &
ex f2 being Function st
dom f2 = Seg n & rng f2 c= COMPLEX by A9;
end;

theorem Th28:
for n being Nat
holds Funcs(Seg n,REAL)c= Funcs(Seg n,COMPLEX) by Th22;

theorem Th29:
for n being Nat st 1 <= n
holds i* n in Funcs(Seg n,COMPLEX)
& not i* n in Funcs(Seg n,REAL)
proof let n be Nat;
assume A1: 1 <= n;
n-tuples_on COMPLEX = Funcs(Seg n,COMPLEX) by FINSEQ.2:93;then
A2: i* n in Funcs(Seg n,COMPLEX);
1 in { k where k is Nat: 1 <= k & k <= n } by A1;then
A3: 1 in Seg n;
A4: not <i> in REAL by Th4;
now assume A5: i* n in Funcs(Seg n,REAL);
consider f be Function such that
A6: (i* n) = f & dom f = Seg n & rng f c= REAL by A5,FUNCT.2:def 2;
1 in Seg n by A3;then
A7: (i* n).1 in rng (i* n) by A6,FUNCT.1:def 3;
(i*n).1 in {<i>} by A7,A1,Th27;then
A8: (i*n).1 = <i> by TARSKI:def 1;
<i> in REAL by A8,A7,A6;
hence contradiction by A4;
end;then
not i* n in Funcs(Seg n,REAL);
hence thesis by A2;
end;

theorem Th30:
for n being Nat st 1 <= n
holds Funcs(Seg n,REAL)c< Funcs(Seg n,COMPLEX)
proof let n be Nat;
assume A1: 1 <= n;
A2: Funcs(Seg n,REAL)c= Funcs(Seg n,COMPLEX) by Th28;
now assume A3: Funcs(Seg n,REAL)= Funcs(Seg n,COMPLEX);
i* n in Funcs(Seg n,COMPLEX) by Th29,A1;
hence contradiction by A3,Th29,A1;
end;
hence thesis by A2;
end;

```

```
theorem Th31:  
  for n being Nat st n>=1  
  holds (n-tuples_on REAL) c< (n-tuples_on COMPLEX)  
  proof let n be Nat;  
    assume A1: n>=1;  
    A2: Funcs(Seg n,REAL)=(n-tuples_on REAL) by Th17;  
    Funcs(Seg n,COMPLEX)=(n-tuples_on COMPLEX) by Th18;  
    hence thesis by A1,A2,Th30;  
  end;  
  
theorem  
  for n being Nat st n>=1  
  holds (REAL n) c< (COMPLEX n) by Th31;
```
